

Automated life-safety testing and reporting with LightRules® delivers the fastest, most convenient path to emergency lighting and code-compliance.

With LightRules® lighting management software and battery backup hardware for DLE fixtures, life-safety testing is fully automated. Users can perform on-demand tests, or schedule automated tests within LightRules to monitor and report on the performance of battery backup-enabled fixtures.

Code-Compliant Emergency Lighting

For facility management professionals, life-safety testing and reporting is an ongoing burden. With battery backup installed, DLE fixtures provide EN-compliant emergency lighting in the event of an interruption to facility power, ensuring employee safety. LightRules performs monthly short tests to establish basic functionality and annual long tests to gauge remaining battery capacity.

Seamless Fixture Testing

Automated life-safety testing eliminates the expensive and cumbersome process of testing individual fixtures manually. With a few clicks, facility managers can schedule emergency lighting tests to occur at convenient times, avoiding disrupting operations or employee productivity.

Easy Fixture Monitoring


During testing, LightRules alerts facility managers of battery backup units that require attention, and prompts them to perform preventive maintenance.

Simplified Record Keeping

LightRules provides easy access to comprehensive reports of all monthly and annual tests. This eliminates the need to store reports manually and enables quick reference to demonstrate compliance.

Battery Backup (BBD43) Accessory

Combine DLE fixtures with the battery backup accessory and the life-safety capabilities within LightRules for the easiest way to provide code-compliant emergency lighting. Easy to install, battery backup includes long-lasting, maintenance-free NiMH battery, and includes a guaranteed five-year warranty.



Automated Life-Safety test in LightRules®



EN 50172-Compliance

LightRules Emergency Management Solution complies with the European standard (EN) for emergency escape lighting systems.

Requirements include:

- Monthly testing of battery-operated emergency lighting equipment
- Annual full discharge testing of battery-operated emergency lighting equipment to ensure a minimum runtime of 180 minutes
- Written records of visual inspections and test results



Battery backup on DLE fixture

